





ZER035- m







DATI TECNICI TECHNICAL DATA

| | 1 cm | 200 cm | 300 cm |
|-------------------|---------------------|---------------|-------------------|
| LED Flux Tot: | 4050 lm/m | 8100 lm | 12150 lm |
| Flux Tot: | 3240 lm/m | 4860 lm | 7290 lm |
| Output: | 135 lm/W | 135 lm/W | 135 lm/W |
| CCT: | 3000 K | 3000 K | 3000 K |
| CRI: | >90 | >90 | >90 |
| Power Tot: | 30.0 W/m | 60.0 W | 90.0 W |
| Weight: | 0.90 Kg/m | 1.80 Kg | 2.70 Kg |
| | Alluminio/aluminium | | Cover: Opale/opal |

DATI TECNICI TECHNICAL DATA

| | 1 cm | 200 cm | 300 cm |
|-------------------|---------------------|---------------|----------------------------------|
| LED Flux Tot: | 3150 lm/m | 6300 lm | 9450 lm |
| Flux Tot: | 2520 lm/m | 5040 lm | 7560 lm |
| Output: | 105 lm/W | 105 lm/W | 105 lm/W |
| CCT: | 3000 K | 3000 K | 3000 K |
| CRI: | >90 | >90 | >90 |
| Power Tot: | 30.0 W/m | 60.0 W | 90.0 W |
| Weight: | 0.90 Kg/m | 1.80 Kg | 2.70 Kg |
| | Alluminio/aluminium | | Cover: Prismaticizzato/prismatic |

FINITURE / FINISHES

